

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

---

1. (Currently Amended) A controller of a system connected to a memory, which stores firmware, for operating in accordance with the firmware stored in the memory, the controller comprising:

a data processing circuit that performs predetermined processing on data and generates processed data;

a write wire connected to the memory; and

a terminal ~~for use in the output of~~ used for outputting the data processed by the data processing circuit and/or ~~the provision of~~ providing the data to the data processing circuit, wherein the controller connects the write wire and the terminal so that the firmware is directly written to the memory by an external device via the write wire.

2. (Previously Presented) A controller of a system that operates in accordance with firmware stored in a firmware storing memory, the controller comprising:

a first terminal for receiving and providing data between the controller and an external device;

a data processing circuit for performing predetermined processing on the data to be provided to and received from the external device via the first terminal; and

a firmware write wire connected to the firmware storing memory, wherein the controller selectively connects the first terminal and one of the data processing circuit and the firmware write wire, wherein the controller connects the first terminal and the firmware write wire so that the firmware is directly written to the firmware storing memory by the external device.

B

3. (Original) The controller of claim 2, further comprising a selector connected to the data processing circuit and the firmware write wire for selectively connecting the first terminal and one of the data processing circuit and the firmware write wire in response to a switching signal.

4. (Original) The controller of claim 3, further comprising a second terminal for providing the switch signal to the selector, wherein the selector connects the data processing circuit and the first terminal when the second terminal is grounded.

31 5. (Original) The controller of claim 3, wherein the selector further connects the firmware write wire and the first terminal when the switching signal is active.

6. Cancelled.

7. Cancelled.

68 (Previously Presented) A data processing system connected to an external device via a connector for receiving and providing data between the external device, the system comprising:

a memory for storing firmware;

a microcomputer connected to the memory for performing control operation in accordance with the firmware stored in the memory;

a data processing circuit connected to the microcomputer for performing predetermined processing on data to be provided to and received from the external device in accordance with the control of the microcomputer; and

a selector connected to the data processing circuit and the memory for selectively connecting the connector and one of the data processing circuit and the memory, wherein the

32

firmware is directly written to the memory by the external device via the connector when the selector connects the connector and the memory.

~~7~~<sup>9</sup>. (Previously Presented) The data processing system of claim ~~8~~<sup>6</sup>, wherein the selector switches connection in response to a switching signal, and the selector connects the connector and the data processing circuit when the switching signal is inactive.

~~8~~<sup>10</sup>. (Original) The data processing system of claim ~~7~~<sup>9</sup>, further comprising a terminal for providing the switching signal to the selector, wherein the selector connects the connector and the data processing circuit when the terminal is grounded.

B1 ~~9~~<sup>11</sup>. (Original) The data processing system of claim ~~8~~<sup>7</sup>, wherein the selector further connects the connector and the memory when the switching signal is active.

~~10~~<sup>12</sup>. (Original) The data processing system of claim ~~8~~<sup>6</sup>, wherein the connector includes a plurality of the terminals, and the system further comprises a plurality of firmware write wires for connecting the memory and the selector, wherein the number of the plurality of the terminals is larger than the number of the plurality of the firmware write wires.

~~11~~<sup>13</sup>. (Original) The data processing system of claim ~~8~~<sup>6</sup>, wherein the memory, the data processing circuit and the selector are mounted on a single LSI.

~~12~~<sup>14</sup>. (Original) The data processing system of claim ~~8~~<sup>6</sup>, wherein the memory, the microcomputer, the data processing circuit, and the selector are mounted on a single LSI.

---

B